

Precision Controlled Steering

Tim Sarver, Ryan Kats, Adam Myers, Anthony Holtkamp

April 15, 2005

Objective:

- Install Outback E-Drive on a Hagie sprayer.
- Make necessary changes to the installation guide
- Adapt hydraulic components from a Hagie 284 to a 284XP
- Adjust steering system to reduce guidance error




Cab Components

Outback S (right)

☞ Takes signal from the receiver and displays position

Control Block Actuator (left)

☞ Relays signal from Outback S to an electric signal and sends it to the Hydraulic Control Block



Hydraulic Control Block

☞ Receives electronic signals from the control block actuator

☞ Controls the hydraulic flow that steers the sprayer

Hydraulic Lines

☞ Hydraulic lines are coupled between the hydraulic control block and the steering cylinders on the sprayer

☞ Hydraulic lines shown are coupled with existing lines on the sprayer



Manual Override



Flow Control

This picture shows hydraulic lines connecting to the hydraulic control block

Shown to the right is the Hagie 284XP sprayer in the field ready to activate the E-drive system to start guiding.



Parts List

Kit Contents

Unpack the installation kit and identify the required parts as shown.

REF	P/N	QTY	DESCRIPTION
A	60290L	1	Assy, Hyd. Valve Block - OC eDrive (Low Flow)
Bag #1 of 3 includes B & C			
B	6MJ-6MB90	3	Adapter, Hyd. 90 Elbow - #6maleJIC x #6maleORB
C	6MJ08MB90	2	Adapter, Hyd. 90 Elbow - #6maleJIC x #8maleORB
D	AB791	1	PLB 60178 - eDrive Hyd. Block Mnt, Spra Coupe 4440
E	AB810	1	Hammer Strap, eDrive Hyd. Block Mount - Hagie 2100/284
Bag #2 of 3 includes F & G			
F	B38.314	2	Bolt - 3/8NC x 3-1/4" Gr5, ZP
	FW38N	2	Washer, Narrow Flat - 3/4"OD x 13/32ID x 1/16"thk, ZP
	LN38NYL	2	Nut, NyLock - 3/8NC ZP
G	B38.34	2	Bolt, 3/8NC x 3/4 Gr5 ZP
	LN38NYL	2	Nut, NyLock - 3/8NC Z

Kit Contents (cont.)

REF	P/N	QTY	DESCRIPTION
Bag #3 of 3 includes H			
H	6MJ-6FJS-6MJ	3	Adapter, Hyd. Run Tee - #6 JIC
I	60674	1	Hose, Hyd. - 1/4" x 104", #6femJICswiv x #6femJICswiv 90EL
J	60675	1	Hose, Hyd. - 1/4" x 190", #6femJICswiv x #6femJICswiv 90EL
K	60676	1	Hose, Hyd. - 3/8" x 10", #6maleJIC x #6femJICswivel
L	60644	1	Hose, Hyd. - 3/8" x 40", #6femJICswiv x #6femJICswiv90EL
M	60576	1	Hose, Hyd. - 3/8" x 36", #6femJICswiv Both Ends
N	AB679	1	Cable, E-Drive Interface - 15 ft.
	TS-11HD	20	Tie Strap, 11" Heavy Duty
	60195	1	Decal, "Outback Equipped" - reverse printed